

## CLASSES OF FIRE:

Fires are classified according to the material that is burning. Fire extinguishers are rated by the area each will cover for a particular class of fire. The higher the number, the bigger the fire area you can fight.

**NOTE:** Maintenance and recharging of all fire extinguishers should be performed by a qualified service company.



**CLASS A** fires are the most common. They involve ordinary combustibles such as wood, paper, cloth, rubber, a number of plastics, and other ordinary materials.



**CLASS B** fires are caused by gasoline, grease, oil, paint and other flammable liquids. Commonly strike in warehouses, and manufacturing plants.



**CLASS C** for live electrical equipment. Often occurs in computers, monitors, wiring, appliances.

## STEEL DRY CHEMICAL ABC

- Steel cylinder complete with cylinder skirt
- Industrial strength cylinder has high corrosion and impact resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed



**STRIKE FIRST CORPORATION**



**SC951 Wall Hooks**

Order No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Bracket	Wt. lbs.
<b>SAQ814</b>	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12 - 14	150	15 1/2	3 1/8	Vehicle	4 1/4
<b>SA445</b>	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	14 1/2	4 1/4	Wall	10 1/2
<b>SC946</b>	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	14 1/2	4 1/4	Vehicle	10 1/2
<b>SA443</b>	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4
<b>SA444</b>	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4

### ACCESSORIES

Order No.	Mfg. No.	Description	Fits
<b>SC951</b>	C160738	Wall hook	5 lbs.
<b>SC952</b>	C160752	Wall hook	10 lbs.

Order No.	Mfg. No.	Description	Fits
<b>SC953</b>	C160791	Wall hook	20 lbs.
<b>SC955</b>	CV500	Vehicle bracket	5 lbs.
<b>SA442</b>	UP2	Vehicle bracket	2.5 lbs.

## ALUMINUM CYLINDER CARBON DIOXIDE (CO<sub>2</sub>)

- Well suited for corrosive environments
- Industrial strength aluminum cylinder is up to 30% lighter than steel
- Stainless steel hose band
- Strong impact-resistant horn
- Bar-coded label
- Easy to service
- ULC listed



**STRIKE FIRST  
CORPORATION**



Order No.	Mfg. No.	Description	Rating ULC	Range Feet	Discharge Time/Sec	Height		Diameter		Weight	
						in.	cm	in.	cm	lbs.	kg
<b>SAJ098</b>	SF-5CO2	5-lbs. w/wall hook	5BC	6-12	10	17 1/4	44	5 3/4	14	13 1/4	6
<b>SAJ099</b>	SF-10CO2	10-lbs. w/wall hook	10BC	6-12	10	19 3/4	50	6 3/4	17	27	12.3
<b>SAJ100</b>	SF-15CO2	15-lbs. w/wall hook	10BC	6-12	15	26 3/4	67	6 3/4	17	37	16.8
<b>SAL344</b>	SF-20CO2	20-lbs. w/wall hook	10BC	6-12	20	26 3/4	67	8	21	48 1/8	21.8

### ACCESSORIES

Order No.	Mfg. No.	Description	Fits	Order No.	Mfg. No.	Description	Fits
<b>SAM953</b>	C160738	Wall hook	5 lbs.	<b>SAM956</b>	UP2	Vehicle bracket	2.5 lbs.
<b>SAM954</b>	C160752	Wall hook	10 lbs.	<b>SAM957</b>	CV500	Vehicle bracket	5 lbs.
<b>SAM955</b>	C160791	Wall hook	20 lbs.				

## UNIVERSAL BRACKETS

Brackets are constructed of welded steel. Ideal to mount on walls in the workplace or as a vehicle bracket. Fire extinguishers can be quickly and easily adjusted with the pull pin locking device.



Order No.	Mfg. No.	Shell Diameter"	Fits
<b>SAP900</b>	HDVB-1	4 to 4 1/2	5 lbs.
<b>SAP899</b>	HDVB-2	4 3/4 to 6	10 lbs.
<b>SAP901</b>	HDVB-3	6 1/4 to 7 1/4	20 lbs.

## HEAVY-DUTY OUTDOOR EXTINGUISHER CABINET

- 16-gauge cold-rolled steel
- Welded construction with sloped roof
- Full-length stainless steel piano hinge and weatherproof gasket around door jam
- Full metal door with keyed paddle latch
- Baked red acrylic enamel over phosphate treated steel



Order No.	Mfg. No.	Inside Dimensions W" x D" x H"
<b>SAN296</b>	OEC	14 x 10 x 28

## SURFACE-MOUNTED FIRE EXTINGUISHER CABINETS

- Make your extinguishers readily available while keeping them safe from potential vandals
- Complete with cylinder lock keyed alike
- Baked white enamel finish with acrylic plastic viewing panel
- Break glass hammer and chain with "break glass" sticker



SD027

### CABINETS

Order No.	Mfg. No.	Inside Dimensions			Fits
		W"	x D"	x H"	
SD027	C-104	14 1/8	x 9 1/16	x 30 1/8	20-lbs. Dry Chemical or 10-lbs. CO <sub>2</sub>
SD028	C-999	10 9/16	x 6 9/16	x 24 5/16	10-lbs. Dry Chemical
SD029	C-99T	8 1/8	x 5 9/16	x 22 1/8	5-lbs. or 6-lbs. Dry Chemical

### REPLACEMENT PARTS

Order No.	Mfg. No.	Description	Dimensions		Fits
			W"	x H"	
SD031	PF-104	Plastic Front	13 15/16	x 27 7/8	SD027
SD032	PF-999	Plastic Front	10 3/8	x 22 1/16	SD028
SD033	PF-99T	Plastic Front	8	x 19 3/4	SD029
SD035	BGH	Hammer and Chain	-	-	-
SD036	BL-106	Sticker-English	-	-	-
SD037	FBL-106	Sticker-French	-	-	-

## FIRE EXTINGUISHER COVERS

Protect valves, fittings and gauges from dust and corrosive fumes. Reinforced vinyl covers fasten over wall-mounted extinguishers and the *Velcro*® closure on back provides quick and easy removal with a quick jerk of pull handle.

Fluorescent red colour provides high visibility.

Available with or without window, to check pressure gauge in English, French or bilingual.



SD019

Order No.	Mfg. No.	Description	Dimensions		Fits
			W"	x H"	
SD019	E-FEC10	English w/window	12	x 20	10 lbs.
SD020	E-FEC10NW	English w/o window	12	x 20	10 lbs.
SD021	E-FEC20	English w/window	16	x 25	20 and 30 lbs.
SD022	E-FEC20NW	English w/o window	16	x 25	20 and 30 lbs.
SE271	F-FEC10	French w/window	12	x 20	10 lbs.
SE272	F-FEC10NW	French w/o window	12	x 20	10 lbs.
SE273	F-FEC20	French w/window	16	x 25	20 and 30 lbs.
SE274	F-FEC20NW	French w/o window	16	x 25	20 and 30 lbs.
SD023	B-FEC10	Bilingual w/window	12	x 20	10 lbs.
SD024	B-FEC10NW	Bilingual w/o window	12	x 20	10 lbs.
SD025	B-FEC20	Bilingual w/window	16	x 25	20 and 30 lbs.
SD026	B-FEC20NW	Bilingual w/o window	16	x 25	20 and 30 lbs.

## SAFETY SIGNS



Fire Extinguisher Order No.	Fire Hose Order No.	Size cm	Description
SD215	SD227	15	Permanent Pressure Sensitive (PS) 0.005"
SD216	SD228	15	Aluminum (AL) 0.020"
SD217	SD229	30	Permanent Pressure Sensitive (PS) 0.005"
SB546	SB549	30	Aluminum (AL) 0.020"
SD218	SD230	20	Perpendicular Wall Mounted (Triangular)

**SEE PAGES 307 TO 314 FOR OUR COMPLETE LINE OF SAFETY SIGNS!**

# Fire Protection

## WOOL BLANKET WITH POUCH

100% wool, fire resistant blanket and pouch.  
Compact, fluorescent red pouch has touch-and-hold nylon fastener to release blanket instantly... no snaps or zippers to stick or corrode. Built-in handle and mounting hanger enable use anywhere.

Available with bilingual signage.

Blanket size: 83" x 59".

Kit size: 16" x 11" x 5".

Order No. SE090

Mfg. No. EB/99W



**NORTH**



## EMERGENCY ESCAPE LADDER

An escape ladder that easily and quickly attaches to any window, no tools or assembly required. Tangle-free design constructed of durable and flame resistant aluminum. Nylon link attaches anti-slip rungs. Ladder is tested to 1000 lbs. Available in two story, (13') or three story (25') ladder.

5-year limited warranty.



Order No.	Mfg. No.	Length'
SAF946	HW2D	13
SAF947	HW3D	25

## FIRE EXTINGUISHER WALL CASE

Designed to protect fire extinguishers from dust and harsh work place environments. Made of high impact, corrosion resistant ABS. High visibility red cases make locating easy. Dual-action, external latch makes opening easy. No door handle to protrude into walkways. Case holds all major extinguishers up to 30 lbs.

**ALLEGRO**  
INDUSTRIES



Order No.	Mfg. No.	Description	Interior Dimensions W" x D" x H"	Exterior Dimensions W" x D" x H"	Wt. lbs.
SE100	3100	Large Case	18 x 10 x 28	20 x 13 x 32 1/2	10

## KEY BOX

- Durable ABS red plastic
- Unique snap in design
- Pre-slotted mounting holes
- Printed glass, "Break Glass For Key"
- Replacement glass available
- 4 1/4" x 1 1/4" depth



Order No.	Mfg. No.	Description
SAG771	KB	Key box
SAG772	RKBG	Replacement glass

## EMERGENCY KEY BOX

- Sturdy all-metal construction
- Heavy-gauge steel
- Scratch resistant red paint
- Rust proof
- Includes steel smash rod and chain
- Replaceable glass, 3" x 4.8"
- Complete with key hook, 2 screws and plugs
- Pre-slotted mounting holes
- Secure, multi-functional cam lock with 2 keys
- 6.92" W x 2.04" D x 6.8" H



Order No.	Mfg. No.	Description
SAG773	5151	Key box
SAG774	5151-G	Replacement glass

## CLASS™ FIRE RETARDANT

### PROFESSIONAL GRADE FIRE RETARDANT

CLASS™ is thoroughly tested by nationally recognised independent laboratories to meet the highest standards of fire retardancy as established by the N.F.P.A. Reduces dangerous flame spread on a range of materials including draperies, furniture, mattresses, wooden structures, cardboard and external clothing. All flame treated items must be able to absorb moisture and have a minimum content of 30% natural fibre.

- Non toxic
- Low odour
- ASTM - EB4-81 A earned a flame spread of 25 "A" rating
- Easy to apply

Order No.	Mfg. No.	Description
AA904	61314-SPRAYBOTTLE	500 ml spray bottle



## CEASE-FIRE® WASTE RECEPTACLES WITH HEAD

- Specially designed contoured head directs smoke and gas from any fire inside the container back into the combustion area
- Air supply is limited and flames are extinguished in seconds
- Drum bodies made of heavy gauge steel with a grey enamel exterior and a rust preventive interior coating
- FM approved, corrosion-free aluminum heads provide easy clean-up and can be used with standard steel drums
- Aluminum heads available separately



Order No.	Mfg. No.	Capacity US Gal.	Dimensions			Opening Dia."	Wt. lbs.
			Dia."	x	H"		
NC444	26604	4.5	11 7/8	x	14 1/4	5	6
NC445	26606	6	11 3/4	x	17 3/4	5	6
NC446	26612	12	14 1/2	x	23	5 1/4	10
NC447	26615	15	14 1/2	x	27 3/4	5 1/4	12
NC448	26630	30	19 1/4	x	31 3/4	7	28
NC449*	26655	55	23 3/4	x	38 1/2	7 7/8	35

NI417 Aluminium head for 12 to 15 gallon receptacle

\*Drum should be filled 3/4 full only.

## SMOKERS CEASE-FIRE®

- Innovative design limits the flow of oxygen to safely and quickly extinguish cigarettes and reduce the risk of fire
- Low maintenance, high-density polyethylene construction with a flame retardant additive
- UV protection, will not rust, dent, crack or peel - no more unsightly rust rings
- Moulded-in graphics clearly identify unit for cigarette butt disposal
- Complete with large 16 qt. (15 L) capacity galvanized steel liner pail for easy cleaning excluding Personal Smokers Cease-Fire®



Pewter Grey Order No.	Adobe Beige Order No.	Deco Black Order No.	Terra Cotta Order No.	Forest Green Order No.	Mfg. No.	Product Description	Dimensions Dia." x H"	Capacity US Gal	Approvals	Wt. lbs.
NH832	NI378	NI694	NI587	NI695	26800	Original Smokers Cease-Fire®	16 1/2 x 38 1/2	4	FM	12
NI701	NI702	NI703	NI705	NI704	26806	Personal Smokers Cease-Fire®	11 x 30	1	FM	6
NI696	NI697	NI698	NI700	NI699	26807	Table Top Accessory for Original	14 x 2	-	-	3