

Safety Cabinets

AN INFORMED CHOICE IS ALWAYS THE BEST CHOICE

CONSIDER THE FOLLOWING WHEN MAKING THE SELECTION THAT IS JUST RIGHT FOR YOU:

1. Type of chemical being stored
2. Applicable regulations
3. Capacity needed
4. Type of container being stored
5. Door and handle style preference
6. Warning label system
7. Performance testing (3rd party approvals)



CONVENIENCE & PROTECTION FACTORS

DOOR STYLE PREFERENCE:

Whereas door style is usually chosen by preference, the Uniform Fire Code (UFC) mandates the use of self-closing cabinets. Cabinets with self-closing and self-latching doors provide an extra measure of protection.



MANUAL

Economical manual close doors permit doors to open a full 180°. When pushed closed they will automatically self-latch.



SLIDING

A single bi-fold, sliding door glides smoothly on a spring loaded track for easy, one handed access to cabinet contents. It self-latches and self-closes, and is equipped with a fusible link to hold the door open during use and melts at 165°F (74°C) to automatically close door under fire conditions.




SELF-CLOSE

This style self-indexes, self-latches and self-closes to automatically shut doors upon release. Mechanism is concealed in the top wall, maximizing available shelf space. Fusible links hold doors open during use. In the event of a fire, fusible links will melt at 165°F (74°C) to automatically close doors.

All *Justrite*® cabinet doors feature a continuous piano hinge for smooth operation, a three-point closure with keyed lock and our exclusive self-latching mechanism on all door styles.

DOOR HANDLE:



SURE-GRIP® U-LOC™ HANDLE

Attractive, self-latching paddle style handle offers easy fingertip access to contents. Flush-mounted design keeps aisles clear and reduces dangerous "catches" from passing traffic. Exclusive padlock tag offers added security. Padlock serves as a visual deterrent and provides the flexibility of the lock being master keyed, keyed alike or keyed different for convenience.

REFLECTIVE WARNING LABELS:



HAZ-ALERT™ SYSTEM

When illuminated with a flashlight, hazardous warning labels burst with high visibility under fire conditions or power outages. Labels are strategically positioned in high and low zones to help firefighters easily locate volatile liquids.

APPLICABLE REGULATIONS & APPROVALS

THIRD PARTY TESTING IS YOUR ASSURANCE OF PERFORMANCE.



CODE COMPLIANCE:

Federal, provincial and local regulations may apply. Contact your local fire department for guidance.



OSHA 29 CFR 1910.106 / NFPA Code 30 Section 4.3.3

TYPE OF CHEMICAL TO BE STORED:

Using colour and labelling in your storage practices helps identify, organise and segregate liquids. It also helps fire department personnel recognise hazards when responding to fire situations.

CAPACITY NEEDS:

A wide variety of code compliant *Justrite*® cabinets are available in sizes ranging from 4 gallons US (15 litres) to 120 gallons US (454 litres). Smaller cabinets allow solvents to be stored at worksite locations saving costly trips to a central storage room. Undercounter, wall mount and style cabinets add to safe storage, even when space is at a premium. For high capacity storage, larger sized cabinets designed specifically to house 30 gallon US (114 litres) or 55 gallon US (208 litres) US drums are available.

PERFORMANCE TESTING:

Justrite® cabinets are third party tested by Factory Mutual Research and/or Underwriters Laboratories and built to OSHA/NFPA standards.

A SELF-LATCHING CABINET MAKES A DIFFERENCE!

A self-latching door and handle is critical as it does not require the user to manually rotate a handle to ensure the three-point latch is properly engaged. This is an important detail since an unlatched cabinet leaves the flammable contents exposed to a potential fire, where every single second of protection counts. A safety cabinet must be latched for it to perform according to code, providing maximum safety under fire conditions. A stainless steel bullet latching system offers optimum longevity with increased heat resistance

FLAMMABLE STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arrestors
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" on centres
- Adjustable levelling feet
- Tough corrosive-resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage Class I, II and III liquids
- FM Approved

SAQ325



SAQ326


Order No.	Door Type	Capacity Gallons	Adjustable Shelves	W" x D" x H"	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ325	2-door, manual	30	1	42 x 18 x 44	42 x 18 x 44	FM	174
SAQ326	2-door, manual	45	2	43 x 18 x 65	43 x 18 x 65	FM	252

EXTRA SHELF

SAQ328	Extra shelf for use with 30 and 45 gallon cabinets			39 3/8" W x 14" D	-	-	9
--------	--	--	--	-------------------	---	---	---

SURE-GRIP® EX FLAMMABLE STORAGE CABINETS


- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- FM approved and meet NFPA and OSHA requirements
- Doors self-latch for easy and secure closure 3 pt stainless steel bullet latches offer longevity and increased heat resistance
- U-Loc™ handle keeps aisles clear and offers fingertip access; comes with 2 keys or accepts optional padlock for greater security
- Two flame arrestor vents and ground wire connection screw
- 2" deep leak-proof sill
- Adjustable leveler legs, and galvanized SpillSlope™ shelves that adjust on 3" centres
- Durable yellow powder coat paint finish provides long life and exceptional chemical resistance
- Haz-Alert™ reflective warning labels offer visibility under dark conditions




SAR311

SAR312

SAR313



SAQ023



Cabinet Cover



SAP509



Order No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAP509	893000	2 doors, manual	30	1	43 x 18 x 44	FM	231
SAQ020	893040	Sliding door, self-closing	30	1	43 x 18 x 44	FM	246
SAQ021	893020	2 doors, self-closing	30	1	43 x 18 x 44	FM	237
SAP510	894500	2 doors, manual	45	2	43 x 18 x 65	FM	310
SAQ022	894540	Sliding door, self-closing	45	2	43 x 18 x 65	FM	330
SAQ023	894520	2 doors, self-closing	45	2	43 x 18 x 65	FM	313
SAQ024	896000	2 doors, manual	60	2	34 x 34 x 65	FM	387
SAQ025	896020	2 doors, self-closing	60	2	34 x 34 x 65	FM	392
SAQ026*	899000	2 doors, manual	90	2	43 x 34 x 65	FM	480
SAQ027*	899020	2 doors, self-closing	90	2	43 x 34 x 65	FM	480

ACCESSORIES

Order No.	Mfg. No.	Description	Dimensions"	Wt. lbs.
SAP839	29937	Extra Shelf for 30 and 45-gallon cabinets	-	9
SAQ028	29944	Extra Shelf for 60-gallon cabinets	-	14
SAQ029	29945	Extra Shelf for 90-gallon cabinets	-	18
SAK285	25987	Cabinet cover for 30 and 45-gallon cabinets	8 1/2 x 42 1/2 x 18	-
SAK286	25989	Cabinet cover for 60-gallon cabinets	16 x 33 1/2 x 34	-
SAR311	84000	Seismic bracket kit to secure cabinet to wall	47	-
SAR312	84002	Cabinet riser frame for forklift or pallet jack	18 x 43	-
SAR313	84001	Rolling cart for 30-gallon cabinets	18 x 43	-

* Codes state that not more than 60 gallons may be Class I and Class II liquids.

Safety Cabinets

SURE-GRIP® EX HIGH SECURITY FLAMMABLE SAFETY CABINETS

- Safely store and protect costly fuels or chemicals from tampering or theft
- Security system includes 1/4" x 2" steel bar stock, a high visibility barrier bar secured across both doors to deter prying
- Crossbar is firmly supported by two brackets welded across the front of the cabinet doors and interlocks onto two sidewall brackets
- Padlock lugs on crossbar and side bar channel are located on each side of the cabinet; provide double layered steel strength and accept 2 x No. 5 Master Lock® keyed-alike (SR867, sold separately)
- Lockable doors with Sure-Grip® handle are designed with a three-point latch for an extra measure of security
- Manual closing door style self-latches for maximum protection under fire conditions
- High visibility Haz-Alert™ warning labels
- Built to OSHA and NFPA specifications, fire resistant design includes double-walled, 18-gauge all-welded construction with 1 1/2" of insulating air space
- Additional safety features include dual vents with flame arresters, 2" leak tight sump to capture spills, and grounding connector
- Adjustable shelves maximize capacity for a variety of containers



Maintenance & Industrial



Support brackets are firmly welded to cabinet door for extra tamper resistance.



Contrasting crossbar can be completely removed from the cabinet when not in use.



Order No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim.		
					W"	D" x	H"
SAN577	29883Y	2 doors, manual, yellow	30	1	43	x 18	x 44
SAN604	SC29883Y	2 doors, self-close, yellow	30	1	43	x 18	x 44
SAN579	29883R	2 doors, manual, red	30	1	43	x 18	x 44
SAN606	SC29883R	2 doors, self-close, red	30	1	43	x 18	x 44
SAN578	29884Y	2 doors, manual, yellow	45	2	43	x 18	x 65
SAN605	SC29884Y	2 doors, self-close, yellow	45	2	43	x 18	x 65
SAN580	29884R	2 doors, manual, red	45	2	43	x 18	x 65
SAN607	SC29884R	2 doors, self-close, red	45	2	43	x 18	x 65

INSULATED FLAMMABLE STORAGE CABINETS

ULC APPROVED - 2" FIBRE INSULATED

- Double wall welded 18-gauge steel construction, filled with a fire-proof insulation
- Full length piano-hinged doors with three-point lock on door
- Two 2" flame arrestor vents and ground wire connection screw
- 2" deep leak-proof sill, adjustable galvanized shelves on 1/2" centres
- Zinc-plated leveler legs
- Colour: Safety yellow



THE WILLIAMS BROTHERS CORPORATION

Order No.	Mfg. No.	Door Type	Cap. Gal.	Ext. Dim. W" x D" x H"	Adjust. Shelves	Wt. lbs.
2" FIBRE INSULATED						
SA087	WB30	2 door, manual	30	44 x 19 x 45	1	350
SA088	WB45	2 door, manual	45	44 x 19 x 66	2	430

SHELVES & ACCESSORIES

Order No.	Mfg. No.	Description	Wt. lbs.
SA086	WB-S	Extra Shelf for SA087, SA088	9
DA623	LE74	Insulated Grounding Wire w/C-Clamp and Clip	1
DA622	LE62	Flexible Bonding Wire w/Two Clips	1
DA621	LE61	Flexible Bonding Wire w/C-Clamp and Clip	1



SURE-GRIP® EX SLIMLINE SAFETY CABINETS

SLIMLINE SAFETY CABINETS TURN TIGHT QUARTERS INTO STORAGE SPACE!

- Three adjustable shelves provide flexible, safe storage
- Small footprint allows placement almost anywhere
- *U-Loc™* handle comes with double key set or accepts optional padlock for greater security
- *Haz-Alert™* reflective warning labels offer visibility under dark conditions
- Yellow powder coat paint finish
- Meets NFPA and OSHA regulations



Slimline

SURE-GRIP® EX STACKABLE "PIGGYBACK" CABINETS

"PIGGYBACK" CABINETS ARE DESIGNED TO MOUNT ON TOP OF JUSTRITE®'S STANDARD 30 & 45 GALLON SAFETY CABINETS

- They can be used singly or stacked to provide expanded or segregated storage of flammables
- They are also suitable for wall mounting or countertop use
- *U-Loc™* handle comes with double key set or accepts optional padlock for greater security
- *Haz-Alert™* reflective warning labels offer visibility under dark conditions
- Yellow powder coat paint finish
- Meets NFPA and OSHA regulations



Piggyback

Backed by our
10 Year
Limited Warranty



Order No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ030	891300	2 doors, manual, Piggyback	12	-	43 x 18 x 18	FM	129
SAQ031	891700	2 doors, manual, Piggyback	17	1	43 x 18 x 24	FM	157
SAQ032	892200	1 door, manual, Slimline	22	3	23 x 18 x 65	FM	200
SAQ033	892220	1 door, self-close, Slimline	22	3	23 x 18 x 65	FM	200

Piggyback cabinets are not to be used with sliding door cabinets.

SURE-GRIP® EX AEROSOL CAN BENCHTOP CABINET

STORE AEROSOLS SAFELY!

Justrite® aerosol can benchtop safety cabinet fits virtually anywhere for hassle-free organization of aerosol cans. Double-wall, 18-gauge welded steel with 1 1/2" of insulating air space offers fire resistance.

- 24-gauge galvanized steel roll-out shelves with stop-guard protection
- Two fixed position shelves have twelve 2 3/4" dia. openings and accept cans up to 10" tall
- Shelves remove for easy cleaning
- *U-Loc™* handle comes with double key set or accepts optional padlock for greater security
- *Haz-Alert™* reflective warning labels offer visibility under dark conditions
- Ships fully assembled
- Durable yellow powder coat paint finish inside and out
- Meets NFPA and OSHA regulations



Order No.	Mfg. No.	Door Type	Capacity	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ045	890500	1 door, manual	24 aerosol cans	21 x 18 x 27	100

Safety Cabinets

STORE SMALLER QUANTITIES NEARBY!

When storing smaller quantities of flammable liquids at a work station or adding to existing storage capacities, specialty cabinets make it possible to store flammables safely even when available space is at a minimum. These cabinets offer *U-Loc™* handles and comes with double key set or accepts optional padlock for greater security. They also have *Haz-Alert™* reflective warning labels to offer visibility under dark conditions. Meet NFPA and OSHA regulations.

SURE-GRIP® EX WALL MOUNT SAFETY CABINETS

- Store small containers without taking up extra floor space
- Holds up to 20 gallons
- Mount easily with furnished brackets
- Yellow powder coat paint finish
- Meets NFPA and OSHA regulations



SAQ040

SURE-GRIP® EX UNDERCOUNTER SAFETY CABINETS

- Are designed to fit under most counters and feature one adjustable shelf
- Designed with a kick plate to match existing casework
- Chemical resistant powder coat paint resists corrosion for years of service



SAQ041

SURE-GRIP® EX COUNTERTOP & COMPAC SAFETY CABINETS

- Increased access to often-used liquids, without compromising safety
- Portable size keeps work areas flexible
- Each has one adjustable shelf
- A great size for the home handyman



Compac
SAQ036

Countertop
SAQ035



Order No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ034	890400	1 door, manual, countertop	4	1	17 x 17 x 22	-	62
SAQ035	890420	1 door, self-closing, countertop	4	1	17 x 17 x 22	-	62
SAQ036	891200	1 door, manual, Compac	12	1	23 1/4 x 18 x 35	FM	129
SAQ037	891220	1 door, self-closing, Compac	12	1	23 1/4 x 18 x 35	FM	131
SAQ038	891500	1 door, manual, Compac	15	1	23 1/4 x 18 x 44	FM	154
SAQ039	891520	1 door, self-closing, Compac	15	1	23 1/4 x 18 x 44	FM	157
SAQ040	893400	2 doors, manual, wall mount	20	5	43 x 12 x 44	FM	221
SAQ041	892300	2 doors, manual, undercounter	22	1	35 x 22 x 35	FM	190
SAQ042	892320	2 doors, self-closing, undercounter	22	1	35 x 22 x 35	FM	204

EXTRA SHELVES

Order No.	Mfg. No.	Description	Wt. lbs.
SAQ043	29936	For 12 and 15 gallon compac cabinets	5
SAQ044	29939	For 22 gallon undercounter cabinets	12

SAFE STORAGE FOR SOLVENT-FILLED DRUMS

Suitable for storage of larger quantities of flammable liquids and have all the same features as *Justrite*®'s standard safety cabinets. These cabinets offer *U-Loc™* handles and comes with double key set or accepts optional padlock for greater security. They also offer *Haz-Alert™* reflective warning labels to offer visibility under dark conditions.

SURE-GRIP® EX VERTICAL DRUM STORAGE CABINETS

- Safely store one or two 30 to 55-gallon US drums
- Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels so cabinet can be used for waste accumulation or as a pumping station
- Rollers at bottom of cabinet facilitate drum movement
- Ramp for drum cabinets (**sold separately**) aids in loading drums with a hand truck

SAQ046



SAQ052

SURE-GRIP® EX HORIZONTAL DRUM STORAGE CABINETS

- Designed to house drums being used for gravity flow dispensing
- Interior provides room for a drip can and includes tracks to guide a cradle into position. Drum cradle is not included



SAQ053

SURE-GRIP® EX DOUBLE-DUTY SAFETY CABINET

- Combines vertical drum and safety storage into one partitioned cabinet
- Safely stores up to twelve 5-gallon US safety cans on the left side, and one vertical 30 or 50-gallon US drum on the right side
- Both compartments have an independently self-latching, locking door for maximum protection under fire conditions



Order No.	Mfg. No.	Door Type	Drum US Cap.	Ext. Dim. W" x D" x H"	Listings & Approvals	Wt. lbs.
YELLOW VERTICAL DRUM STORAGE CABINETS						
SAQ046	896260	2 doors, manual with drum rollers	1-55 gallons	34 x 34 x 65	FM	425
SAQ047	896270	2 doors, self-close with drum rollers	1-55 gallons	34 x 34 x 65	FM	425
SAQ048	899160	2 doors, manual with drum rollers	2-55 gallons	59 x 34 x 65	-	781
SAQ049	899060	2 doors, manual with drum rollers	2-30 gallons	43 x 34 x 65	FM	495
SAQ050	899070	2 doors, self-close with drum rollers	2-30 gallons	43 x 34 x 65	FM	495
YELLOW HORIZONTAL DRUM STORAGE CABINETS						
SAQ051	899300	2 doors, manual	1-55 gallons	30 x 48 x 50	-	371
SAQ052	899320	2 doors, self-close	1-55 gallons	30 x 48 x 50	-	371
YELLOW DOUBLE-DUTY SAFETY CABINETS						
SAQ053	899260	2 doors, manual with drum rollers	1-55 gallons	59 x 34 x 65	-	700
SAQ054	899270	2 doors, external self-close with drum rollers	1-55 gallons	59 x 34 x 65	-	700
ACCESSORIES						Wt. lbs.
SAI480	25932	Drum ramp for all <i>Justrite</i> ® drum cabinets				28
SAK286	25989	Cabinet cover for SAQ046 and SAQ047				100

DRUM SAFETY CABINETS

Choice of 2" fibre insulated or 1 1/2" air insulated cabinets.

VERTICAL CABINETS:

- Keeps drum close to work area to safely contain and dispense flammable liquids
- Shelf can be added should faucet allow for enough clearance
- Capacity: 45 gallons
- **Includes:** Drum support

HORIZONTAL CABINETS:

- Stores one 45-gallon drum and drum cradle (**sold separately**)
- Ground cables are recommended when transferring liquids
- Ideal for easy dispensing of flammable liquids



Order No.	Mfg. No.	Dimensions W" x D" x H"	Insulation	No. of Shelves	Wt. lbs.
VERTICAL CABINETS					
SA090	WB45V	35 x 35 x 63	2" Fibre	1	470
SA069	FM45V	35 x 35 x 63	1 1/2" Air	1	420
HORIZONTAL CABINETS					
SA089	WB45H	35 x 50 x 50	2" Fibre	-	500
SA068	FM45H	35 x 50 x 50	1 1/2" Air	-	384
ACCESSORIES					
DA591	45R	Drum rocker, rigid casters			35
SAJ102	WB-S60	Extra shelf for SA090 and SA069			17
DA623	LE74	Insulated grounding wire w/C-clamp and clip			1
DA622	LE62	Flexible bonding wire w/two clips			1
DA621	LE61	Flexible bonding wire w/C-clamp and clip			1



SA090

Safety Cabinets

SURE-GRIP® EX HAZARDOUS WASTE SAFETY CABINETS

For temporary on-site accumulation and storage of waste liquids.

- All-welded 18-gauge double wall construction with 1 1/2" air space
- 2" leakproof sill and 2" flame arrestor vents
- One galvanized steel, half-depth shelf adjustable on 2 1/4" centres
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Meets OSHA and NFPA regulations, FM approved
- Rollers at bottom of cabinet facilitate drum movement
- All models have 2 doors



Order No.	Mfg. No.	Door Type	Drum Capacity	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ073	8962053	Manual	1-55 gallon	34 x 34 x 65	405
SAQ074	8962253	Self-closing	1-55 gallon	34 x 34 x 65	406
SAQ075	8991653	Manual	2-55 gallon	59 x 34 x 65	615

POLYETHYLENE ACID CABINETS

One-piece moulded body for maximum chemical resistance and leak protection. Both units can be padlocked to prevent unauthorized access.

COUNTERTOP ACID CABINET

- Spill tray inside the cabinet removes for easy cleaning
- Includes a handy work tray stored under cabinet
- Door can be hinged from either side

ACID CABINET

- Two adjustable shelves and storage in doors for small containers
- Removable sumps for easy cleaning
- Two compartments allow segregation of non-compatible corrosives
- Two vent holes on the back of cabinet; one at the bottom left and one at the top right
- Cabinet top doubles as a handy workspace
- Cabinet is sized to fit under counter or free standing and can be secured to wall for stability



SE386

Order No.	Mfg. No.	Door Type	Bottles Capacity	Ext. Dim W" x D" x H"	Wt. lbs.
SE385	24040	1 door, manual	2-4 litre	14 1/4 x 16 1/4 x 19 3/4	30
SE386	24160	2 doors, manual	30-1 litre	36 x 23 1/2 x 35	120

SURE-GRIP® EX DUAL STORAGE SAFETY CABINETS

- Sturdy, welded 18-gauge (1 mm) steel finished in chemical resistant white epoxy powder paint
- Inner double-walled partition creates two 5-gallon compartments to separate flammables from corrosives
- Independent locking doors with U-Loc™ easy opening handles
- Three-point, self-latching door closure with double key sets
- 2" (51 mm) leak proof sills with removable poly sump tray on corrosive side
- High visibility Haz-Alert™ warning labels identify contents and are reflective for visibility during power outages
- Built-in grounding connector prevents static build-up
- Self-close style designed with hidden mechanism for optimal storage space; fusible links hold doors open when needed and automatically melt shut under fire conditions
- Fits on bench top or atop Justrite's 30 or 45-gallon cabinet
- Wall-mounting options also available
- OSHA compliant, double wall construction throughout with 1.5" (38 mm) insulating air space for fire resistance



Order No.	Mfg. No.	Door Type	Capacity Gallons	Exterior Dimensions W" x D" x H"	Wt. lbs.
SAQ077	891800	Manual	10	43 x 18 x 18	167
SAQ078	891820	Self-Closing	10	43 x 18 x 18	170

ACCESSORIES

Order No.	Mfg. No.	Description	Exterior Dimensions W" x D" x H"	Wt. lbs.
SAO728	29923	Shelf Riser	17 1/2 x 14 x 8	10
SAO729	29922	Poly Liner for Shelf Riser	17 1/2 x 14 x 1 1/2	3
SAO730	25950	Wall Hanger Assembly	-	5
SAO731	25986	Poly Sump Liner	16 5/8 x 14 1/2 x 2	3

SURE-GRIP® EX ACID/CORROSIVE STORAGE CABINETS

Built to the same standards as *Justrite*®'s flammable storage cabinets with the addition of poly tray liners and a specially formulated epoxy, powder coat paint.

- Poly liners on shelves and poly sump liner remove for easy cleaning
- 30-gallon cabinet is also equipped with a poly, cabinet-top work tray
- All cabinets come with the stylish flush-mounted *U-Loc*™ handle that offers easy fingertip access and accepts optional padlock
- *Haz-Alert*™ reflective warning labels offer visibility under dark conditions
- Undercounter model has a 3 1/2" H x 2 1/2" D kick plate to mount flush with other cabinetry
- Meets NFPA and OSHA regulations

Note: Not to be used with phenol, nitric and sulfuric acids.



SAQ055



SAQ057

SAQ056

Quality Backed by our
10 Year
Limited Warranty



Order No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D"x H"	Listing Approvals	Wt. lbs.
SAQ055	892302	2 doors, manual, undercounter	22	1	35 x 22 x 35	FM	210
SAQ056	892202	1 door, manual, <i>Slimline</i>	22	3	23 x 18 x 65	FM	200
SAQ057	893002	2 doors, manual	30	1	43 x 18 x 44	FM	233
SAQ058	893052	Sliding door, self-closing	30	1	43 x 18 x 44	FM	250
SAQ059	893022	2 doors, self closing	30	1	43 x 18 x 44	FM	242
SAQ060	894502	2 doors, manual	45	2	43 x 18 x 65	FM	316
SAQ061	894542	Sliding door, self-closing	45	2	43 x 18 x 65	FM	335
SAQ062	894522	2 doors, self closing	45	2	43 x 18 x 65	FM	317
ACCESSORIES		Description	Wt. lbs.				
SAQ044	29939	Extra shelf for 22-gallon undercounter cabinets	7				
SAQ063	29965	Poly tray for 22-gallon undercounter cabinets	6				
SAP839	29937	Extra shelf for 30 and 45-gallon cabinets	8				
SAQ064	29962	Poly tray for 30 and 45-gallon cabinets	22				

SURE-GRIP® EX ACID/CORROSIVE STORAGE CABINETS WITH THE CHEMCOR® LINER

Unique, flame-coated *ChemCor*® thermoplastic liner is applied to *Justrite*®'s acid/corrosive safety cabinets for unsurpassed corrosion protection and fire protection.

- 100% seamless liner on all interior walls, ceiling, sump, inside doors and shelves protects exposed cabinet surfaces without gaps
- Seam-free surface eliminates the need for rivets or fasteners which risk corrosion from seep-through chemicals
- *U-Loc*™ handle comes with double key set or accepts optional padlock for greater security
- *Haz-Alert*™ reflective warning labels offer visibility under dark conditions
- Durable, thermoplastic non-porous interior coating resists staining and cleans-up easily
- Maximum protection from harsh acids and corrosive chemicals plus fire protection and code compliance in a wide variety of double-wall steel safety cabinets



SAQ067



Order No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D"x H"	Listing Approvals	Wt. lbs.
SAQ065	8923022	2 doors, manual, undercounter	22	1	35 x 22 x 35	FM	210
SAQ066	8922022	1 door, manual, <i>Slimline</i>	22	3	23 x 18 x 65	FM	200
SAQ067	8930022	2 doors, manual	30	1	43 x 18 x 44	FM	233
SAQ068	8930422	Sliding door, self-closing	30	1	43 x 18 x 44	FM	250
SAQ069	8930222	2 doors, self-closing	30	1	43 x 18 x 44	FM	242
SAQ070	8945022	2 doors, manual	45	2	43 x 18 x 65	FM	316
SAQ071	8945422	Sliding door, self-closing	45	2	43 x 18 x 65	FM	335
SAQ072	8945222	2 doors, self-closing	45	2	43 x 18 x 65	FM	317

Safety Cabinets

PAINT & INK STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arrestors
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive-resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage Class I, II and III liquids
- FM Approved




Order No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ327	2-door, manual	60	5	43 x 18 x 65	FM	267
EXTRA SHELF						
SAQ328	-	-	-	39 3/8" W x 14" D	-	9

SURE-GRIP® EX PAINT & INK SAFETY STORAGE CABINETS

Separate and identify Class III combustibles in high performance paint and ink safety storage cabinets. They have the same safety and quality features and options that are available in *Justrite*®'s safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 120-gallon capacities
- *U-Loc™* handle comes with double key set or accepts optional padlock for greater security
- *Haz-Alert™* reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- FM approved
- Meets NFPA and OSHA regulations



SAR311



SAR313



SAQ086

SAQ083

Order No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ079	891511	1 door, manual, Compac	20	2	231/4 x 18 x 44	FM	154
SAQ080	891531	1 door, self-closing, Compac	20	2	231/4 x 18 x 44	FM	157
SAQ081	893011	2 doors, manual	40	3	43 x 18 x 44	FM	239
SAQ082	893051	Sliding door, self-closing	40	3	43 x 18 x 44	FM	260
SAQ083	893031	2 doors, self-closing	40	3	43 x 18 x 44	FM	254
SAQ084	894511	2 doors, manual	60	5	43 x 18 x 65	FM	345
SAQ085	894551	Sliding door, self-closing	60	5	43 x 18 x 65	FM	330
SAQ086	894531	2 doors, self-closing	60	5	43 x 18 x 65	FM	361
SAQ087*	896011	2 doors, manual	120	5	34 x 34 x 65	FM	424
SAQ088*	896031	2 doors, self-closing	120	5	34 x 34 x 65	FM	434

ACCESSORIES

Order No.	Mfg. No.	Description	Dimensions
SAP839	29937	Extra shelf for 40-gallon cabinets	-
SAQ028	29944	Extra shelf for 60-gallon cabinets	-
SAR311	84000	Seismic bracket kit to secure cabinet to wall	47"
SAR313	84001	Rolling cart for 40-gallon cabinet	18" x 43"

*Codes state that not more 60 gallons may be Class I and Class II liquids.

DOCUMENT STORAGE BOXES

ACCESSIBLE STORAGE & PROTECTION

- Weather resistant, no metal parts to corrode - keeps papers clean and dry in dusty, harsh environments
- High density polyethylene is durable, rustproof and easy to clean
- Mounts on cabinets, machinery, equipment or walls for fast, easy access to information at point of use
- Lock holes on medium and large units accept padlock or zip ties
- Four built-in mounting holes on medium and large sized units provide added mounting options
- Designated area to add your own labels or optional label pack available
- Also handy for portable document storage
- High visibility red colour; includes heavy-duty tape for drill-free mounting
- Keeps MSDS documents for compliance with OSHA 29 CFR 1910.1200
- Optional label pack includes 4 yellow labels (2 blank and 2 printed - MSDS and instruction manual) **(Sold separately)**



INDUSTRIAL



CONSTRUCTION



MATERIAL HANDLING



COMMERCIAL



JUSTRITE®

AND MORE...

Agriculture
Office
Recreational
Healthcare
Marine

STORE...

MSDS sheets
Receiving bills
Evacuation plans
Schedules
Plant layouts

Inventory checklists
Operator manuals
Emergency contacts
Certificates
Medical records



Use nearly anywhere!
4 sizes - 3 styles



Document storage boxes conveniently
store and protect important papers



Order No.	Mfg. No.	Description	Int. Dim. (approx)			Ext. Dim.			Gasketed Closure	Lock Hole Dia."
			W"	x D"	x H"	W"	x D"	x H"		
SAN581	23303	Medium top opening	8 3/4	x 1 5/8	x 11 1/2	10 1/4	x 2 1/4	x 12 1/2	No	1/4
SAN582	23304	Medium front opening	8 5/8	x 1	x 12 1/4	11	x 2 1/8	x 14 1/2	Yes	3/8
SAN583	23305	Tube twist-on lid	3" Dia.	x	12" H	3 11/16" Dia.	x	12 1/2" H	Yes	-
SAN584	23306	Large front opening	10 3/4	x 2 1/4	x 13 1/4	13 1/8	x 3 9/16	x 15 3/4	Yes	3/8
SAN585	23310	Label pack - 4 yellow labels: 2 blank and 2 printed - MSDS and instruction manual							-	-